PDFSEWINGPATTERNS.COM | PSP-23 | ISO A4 (210 × 297 MM)


# Boxy Woven Tunic Top (XS–3XL)

Skill: Absolute Beginner | Time: 1–1.5 hours | Seam Allowance: 1/2" (12.7 mm) Included

## PROJECT SPECIFICATIONS

| | |
|---|---|
| **Finished Size:** | Sizes XS–3XL (32"–56" bust · 25"–26" tunic length) (XS–3XL |
| **Sizes Included:** | XS, S, M, L, XL, 2XL & 3XL (with hi-low hem & side vent notches) |
| **Fabric Weight:** | Double gauze, washed 5 oz linen, cotton lawn, chambray, rayon |
| **Needle & Stitch:** | 80/12 Universal (linen/poplin) or 70/10 Microtex (double |
| **Pattern Tiles:** | 12 printable tile pages (2 col x 6 row) |

## SCALE CALIBRATION TEST SQUARES




Print at Actual Size (100%) in Acrobat/Preview. Measure both boxes before cutting fabric.

## CUTTING CHART (IMPERIAL & METRIC — ROTARY CUT OR TRACE TILES)

| Piece | Qty | Inches (W x H) | Metric (cm) | Fabric |
|---|---|---|---|---|
| Tunic Front Bodice (Cut 1 on Fold) | Cut 1 on Fold | 13.8" x 25.6" | 35.1 x 65.0 cm | Main Woven |
| Tunic Back Bodice (Cut 1 on Fold) | Cut 1 on Fold | 13.8" x 26.2" | 35.1 x 66.5 cm | Main Woven |
| Front Neckline Facing (Cut 1 on Fold) | Cut 1 on Fold | 6" x 5.8" | 15.2 x 14.7 cm | Main + SF101 |
| Back Neckline Facing (Cut 1 on Fold) | Cut 1 on Fold | 6" x 3.5" | 15.2 x 8.9 cm | Main + SF101 |


## MATERIALS & SUPPLIES


• XS–XL: 1.5 yards (1.4 m) of 54"–60" wide fabric or 1.75 yards (1.6 m) of 44"–45" wide fabric; 2XL–3XL: 1.75–2.0 yards (1.6–1.85 m)


• 1/4 yard lightweight woven fusible interfacing (Pellon SF101) for Front & Back Neckline Facings

• 50 wt all-purpose polyester or cotton thread

## TILE ASSEMBLY MAP (2 x 6)




JOIN -> A2
JOIN v B1



JOIN v B2


CUT ON FOLD


JOIN -> B2

JOIN v C1

Trim dashed box & align corner diamonds





1.5" HEM FOLD LINE
JOIN -> C2
JOIN v D1



VENT
XS/S SIDE LINE
1.5" HEM FOLD LINE
JOIN v D2


JOIN -> D2


CUT ON FOLD


JOIN v E1


XS/S SIDE LINE
JOIN v E2


JOIN -> E2
1.5" HEM FOLD LINE
JOIN v F1


XS/S SIDE LINE
VENT
1.5" HEM FOLD LINE
JOIN v F2


FRONT NECK FACING (CUT 1 ON FOLD)
Cut 1 Main + 1 SF101 Fusible · SA 1/2"
CUT ON FOLD
JOIN -> F2


BACK NECK FACING (CUT 1 ON FOLD)
Cut 1 Main + 1 SF101 Fusible · SA 1/2"
CUT ON FOLD